



International Journal of Indian Medicine

www.ijim.co.in

ISSN: 2582-7634

Volume - 7, Issue - 03

March 2026



IJIM

INDEXED



International Journal of Indian Medicine



International Category Code (ICC): ICC-1702 International Journal Address (IJA): IJA.ZONE/258276217634

Bio-transformed Barley (Gobhakshita Yava- cow digested barley): A Classical Concept with Contemporary Metabolic Implications – A Review Study

Kathavadiya S.¹, Kansagra P.²

1. M.D. (Ayu.), PhD Dravyaguna, Associate professor, Dravyaguna department, Murlidhar Ayurved College and Hospital, Kalipat, Rajkot – 360020, Gujarat, India
2. M.D. (Ayu.), Panchakarma, Assistant Professor, Panchakarma department, Murlidhar Ayurved College and Hospital, Kalipat, Rajkot – 360020, Gujarat, India

ABSTRACT:

Background: Acharya Charaka emphasizes *Pathya* (wholesome) as a key factor in preventing and managing diseases like *Prameha* (Diabetes mellitus). Among dietary measures, *Yava* (barley) and its *Gobhakshita* (cow-digested) form are described for their *Kaphamedohara* (diminish Kapha and fat) and *Pramehaghna* (anti-diabetic) properties. Classical texts, including the Mahabharata, mention cow-digested barley as a purifying and strengthening agent, reflecting early insights into processed grains in metabolic regulation. **Aims and Objectives:** To explore the Ayurvedic concept of *Gobhakshita Yava* and assess its potential role in managing *Kaphaja Prameha* from a classical and conceptual perspective. **Materials and Methods:** A conceptual review was conducted using 28 Nighantus, 30 Rasagranthas, 16 Chikitsagranthas, and 9 Samhitas. Analysis focused on *Guna* (Qualities), *Karma* (action), and *Samskara* (processing), along with their metabolic implications, supported by modern nutritional correlations. **Observations and Results:** References to *Gobhakshita Yava* were identified in Charaka Samhita, Ashtanga Sangraha, Ashtanga Hrudayam, Bhavaprakasha, and Bangasena Samhita. *Yava* is described as *Kaphahara* and *Medohara*. The *Bhakshita* (being eaten) process may reduce *Guru* (heavy) and *Snigdha* (unctuous) qualities while enhancing digestibility and metabolic efficiency, aligning with concepts of biotransformation and improved glycaemic control. **Conclusion:** *Gobhakshita Yava* represents an Ayurvedic approach to bio-processed therapeutic foods. Its integration into modern dietary practices may provide effective functional support in managing metabolic disorders like *Kaphaja Prameha*.

KEYWORDS: *Yava*, *Gobhakshita*, *Kaphaja Prameha*, *Pathya*, Ayurveda, Mahabharata

CORRESPONDING AUTHOR:

Dr. Seema H. Kathavadiya

M.D. (Ayu.), PhD Dravyaguna, Associate professor, Dravyaguna department
Murlidhar Ayurved College and Hospital, Kalipat, Rajkot – 360020, Gujarat
Email- Seemavyas231@gmail.com, Mobile no: - 99986 35949

How to cite this article: Kathavadiya S., Kansagra P. Bio-transformed Barley (Gobhakshita Yava- cow digested barley): A Classical Concept with Contemporary Metabolic Implications – A Review Study. Int J Ind Med 2026;7(03):126-132 DOI: <http://doi.org/10.55552/IJIM.2026.70316>

INTRODUCTION:

Ayurveda, as a holistic system of medicine, gives significant importance to *Ahara* (diet) and *Vihara* (lifestyle) in maintaining health and preventing disease. Among these, *Pathya* (wholesome) refers to those dietary and behavioural practices that support normal physiological functioning and promote recovery in disease conditions. Acharya Lolimbaraj emphasizes that adherence to *Pathya* alone can yield therapeutic benefits equivalent to medicinal interventions, whereas neglecting it may render even potent treatments ineffective. [1]

Prameha (Diabetes mellitus) is one of the major metabolic disorders described in Ayurvedic texts, characterized by abnormalities in urine, metabolism, and tissue homeostasis. It closely resembles Diabetes Mellitus in modern medicine. The pathogenesis of *Prameha* involves predominance of *Kapha Dosh*a along with vitiation of *Meda* (adipose tissue), leading to impaired metabolism and accumulation of metabolic waste. [2]

Dietary management is considered the cornerstone in the treatment of *Prameha*. [3] Among various *Pathya dravyas*, *Yava* (barley) holds a prominent place due to its specific *Guna* (properties) that counteract *Kapha* and *Meda*. [4,5]

Interestingly, classical texts go beyond simple dietary recommendations and describe processed forms of food, such as *Gobhakshita Yava* (barley digested by cow) and *Gomutra Bhavita Yava* (barley processed with cow urine) [6,7] These preparations reflect a sophisticated understanding of *Samskara* (processing) wherein the intrinsic properties of a substance are modified to enhance its therapeutic efficacy. [8]

This study attempts to explore the concept of *Gobhakshita Yava* in detail and correlate it with contemporary scientific understanding of metabolism and functional foods.

Aim and Objectives:

1. To critically review classical references of *Gobhakshita Yava*
2. To analyse its *Guna* (qualities), *Karma* (actions), and *Samskara* (processing effects)
3. To evaluate its therapeutic potential in *Kaphaja Prameha*
4. To establish its relevance with modern concepts of metabolic regulation

Materials And Methods

This study is a conceptual literary review based on classical Ayurvedic texts. The sources include: Samhitas, Chikitsa Granthas, Nighantus, Rasagranthas. A total of 9 Samhitas, 16 Chikitsa Granthas, 28 Nighantus and 30 Rasagranthas were reviewed. Modern correlations with metabolism and glycaemic control were also considered.

Results:**Conceptual analysis of *Gobhakshita Yava***

The description of *Gobhakshita Yava* is found in Charaka Samhita, Ashtanga Samgraha, Ashtanga Hrudaya, Bhavaprakasha Samhita and Bangasena Samhita, whereas the description of *Gomutrabhavita Yava* is provided in Bhavaprakasha Samhita, Bangasena Samhita Gadanigraha and Vaidya Chintamani.

1. Charaka Samhita: Foods prepared from barley (*Yava*), as well as those derived from animals such as donkey, horse, cow, swan, and deer, are recommended. Various preparations of barley, including bamboo rice (*Veṇu-yava*) and wheat-based items prepared in a similar manner, should also be administered. [6]

2. Ashtanga samgraha: The diet should predominantly consist of preparations of barley. Additionally, barley that has been processed within the digestive system of animals such as cow, horse, and donkey is advised. [9]

3. Ashtanga hrudaya: Preparations of barley such as *Apupa* (cakes), *Saktu* (roasted flour),

and *Vatya* (various forms of barley preparations) are wholesome. Alternatively, barley obtained from the excreta of elephant and horse, or bamboo-origin barley (*Venu-yava*), may also be used. [10]

4. Bhavaprakasha Samhita and Bangasena Samhita: Barley that has been consumed by cows (*Gobhakshita Yava*), barley processed with cow's urine, or even plain barley may be used. [11,12]

5. Gadanigraha: Barley grains should be well pounded and then repeatedly processed (*bhavana*) with cow's urine. After drying with the juice of *Triphala*, the process should be repeated for seven days. [7]

6. Vaidya Chintamani: Barley processed with cow's urine (*Gomutra-bhavita Yava*) becomes purified within seven nights. [13]

Ayurvedic Perspective: *Samskara Siddhanta*

The concept of *Samskara* (processing) occupies a central position in Ayurvedic pharmaceutics and dietetics, wherein it is understood to bring about qualitative and functional modifications in a substance. [8] Classical texts emphasize that *Samskara* can alter the inherent *Guna* (properties), modulate potency, and improve the digestibility and therapeutic suitability of a given substance. This principle is particularly relevant in the context of dietary interventions for metabolic disorders, where modification of food properties plays a crucial role in disease management.

In the case of *Gobhakshita Yava*, the process of biological transformation through digestion in the gastrointestinal system of a cow can be interpreted as a specialized form of *Samskara*. This transformation is believed to reduce the *Guru* (heaviness) and *Snigdha* (unctuousness) qualities of *Yava*, while enhancing its *Laghu* (lightness) and *Ruksha* (dryness) attributes. [4] Such *Gunaparivartana* (modification of properties) renders the substance more compatible with the

impaired metabolic state observed in *Kaphaja Prameha*. [8]

From an Ayurvedic standpoint, the predominance of *Kapha* and *Meda* in *Prameha* necessitates the use of substances that are light, dry, and capable of promoting metabolic activity. [2] The transformation induced by *Samskara* in *Gobhakshita Yava* aligns with these therapeutic requirements, thereby enhancing its suitability as a *Pathya dravya* in *Kapha*-dominant conditions.

Pharmacological and Metabolic Implications

Barley is a well-established dietary grain with significant nutritional and therapeutic relevance, particularly in the context of metabolic disorders. [14,15] Its pharmacological potential is primarily attributed to its rich composition of soluble dietary fibers, especially β -glucan, along with essential micronutrients and bioactive antioxidant compounds. [14,16,17]

β -glucan, a major polysaccharide component of barley, plays a crucial role in delaying gastric emptying and reducing intestinal glucose absorption, thereby contributing to improved postprandial glycaemic control. [17,18,19] Additionally, it has been shown to bind bile acids, facilitating their excretion and consequently lowering serum cholesterol levels. [20,21,22] The presence of antioxidants further aids in mitigating oxidative stress, which is a key contributor to insulin resistance and metabolic dysfunction. [23,24,25]

Collectively, these constituents contribute to:

- Regulation of blood glucose levels [18,19,26]
- Reduction in serum lipid profile, particularly LDL cholesterol [21,22]
- Enhancement of insulin sensitivity and peripheral glucose utilization [26,27]

The concept of biotransformation, as observed in *Gobhakshita Yava*, may further potentiate these effects. [28,29] The digestive processing within the gastrointestinal system of the cow can be interpreted as a form of

natural pre-digestion and microbial fermentation, leading to structural and functional modification of the grain [28,30]

This transformation may result in:

- Improved digestibility due to partial breakdown of complex carbohydrates [28,29]
- Reduction of anti-nutritional factors, enhancing nutrient bioavailability [29]
- Modulation of gut microbiota, promoting beneficial microbial populations [27,30]
- Lower glycaemic load, due to altered carbohydrate composition [17,18]
- Enhanced metabolic efficiency, through better assimilation and utilization [26,27]

From a contemporary scientific perspective, these effects closely resemble the mechanisms underlying fermented and functional foods, which are increasingly recognized for their role in metabolic health. [28,31,32] The interaction between dietary components and gut microbiota has emerged as a critical determinant of metabolic regulation, influencing pathways related to glucose homeostasis, lipid metabolism, and inflammation. [27,30,31]

DISCUSSION:

The present review critically examines the concept of *Gobhakshita Yava* described in classical Ayurvedic literature and interprets its relevance in the context of contemporary metabolic science. A central principle emerging from this analysis is the role of *Samskara* (processing) in modifying *Guna* (properties) and enhancing the therapeutic efficacy of dietary substances. [8]

In Ayurveda, *Prameha* is primarily understood as a *Kapha*-dominant disorder associated with *Meda dushti* (deranged lipid metabolism), characterized by metabolic sluggishness, excessive *Snigdhatva* (unctuousness), and impaired tissue transformation. [2] Management, therefore, emphasizes substances with *Laghu*, *Ruksha*, and *Lekhana* (scrapping) properties.

Although *Yava* inherently possesses these *Guna* classical texts advocate processing methods to further optimize its therapeutic suitability. [4]

Gobhakshita Yava represents a distinct form of biological processing wherein barley undergoes transformation within the cow's gastrointestinal tract. This process induces *Guna parivartana*, reducing *Guru* and *Snigdha* while enhancing *Laghu* and *Ruksha* attributes, thereby improving its appropriateness for *Kaphaja Prameha*. This aligns with the principle of *Samskara anuvartana*, where processing leads to functional enhancement. [8]

From a modern perspective, this transformation can be understood as natural biotransformation mediated by enzymatic digestion and microbial fermentation within the ruminant system. [30] Such processes are known to break down complex polysaccharides, reduce anti-nutritional factors, and improve nutrient bioavailability. [33]

Barley-derived β -glucan contributes significantly to metabolic regulation through its effects on glycaemic control and lipid metabolism, along with antioxidant activity. [16,18] These effects may be further potentiated following biotransformation due to improved digestibility and enhanced interaction with the gut microbiota.

Recent advances in biomedical research emphasize the pivotal role of gut microbiota in metabolic disorders, including Type 2 Diabetes Mellitus. [34] Dietary interventions that influence microbial composition and function are increasingly recognized as effective therapeutic strategies. [35,36] In this regard, *Gobhakshita Yava* may be interpreted as an early conceptual model of microbiome-oriented nutrition.

The parallels between this traditional concept and modern fermented or pre-digested functional foods are noteworthy, as

both aim to enhance nutrient availability and metabolic efficiency. [31] This convergence highlights the continued relevance of Ayurvedic dietary principles in contemporary healthcare.

CONCLUSION:

The concept of *Gobhakshita Yava* represents a sophisticated and insightful approach within Ayurvedic dietary science, emphasizing the transformative role of *Samskara* in enhancing the therapeutic potential of food substances. Classical references clearly indicate its utility in the management of *Kaphaja Prameha*, where modulation of metabolic processes is essential.

When interpreted through the lens of modern science, *Gobhakshita Yava* aligns closely with the principles of **biotransformation, fermentation, and microbiome-mediated metabolic regulation**. The potential enhancement in digestibility, glycaemic control, and metabolic efficiency highlights its relevance as a functional dietary intervention.

This integrative perspective not only validates the depth of classical Ayurvedic knowledge but also opens new avenues for developing novel dietary strategies in the management of metabolic disorders such as Diabetes Mellitus.

Nevertheless, the current understanding remains largely conceptual, and there is a pressing need for **evidence-based validation through experimental and clinical research**. Future studies focusing on standardization, safety, efficacy, and mechanism of action will be crucial in establishing *Gobhakshita Yava* as a scientifically accepted therapeutic dietary modality.

Acknowledgements: The authors express their sincere gratitude to their teachers and mentors for their constant guidance and inspiration. The authors also acknowledge

the support of Murlidhar Ayurved College and Hospital, Rajkot for providing necessary resources to carry out this work.

Conflict Of Interest: The authors declare that there is no conflict of interest regarding the publication of this paper.

REFERENCES:

1. Tripathi ID, editor. *Lolimbaraja (Vidyotini Hindi Commentary)*. 3rd ed. Varanasi: Chaukhambha Orientalia; 1998. Prathamovilas, verse 10, p. 4.
2. Acharya YT, editor. *Charaka Samhita* by Agnivesha, Charaka, Dridhabala. Varanasi: Chaukhambha Surabharati Publications; 2008. Nidanasthana 4/6-7, p. 212.
3. Bhatia A, Singh B, Arora R, et al. In vitro evaluation of the α -glucosidase inhibitory potential of methanolic extracts of traditionally used antidiabetic plants. *BMC Complement Altern Med*. 2019; 19:74.
4. Acharya JT, editor. *Charaka Samhita* by Agnivesha, Charaka, Dridhabala. Varanasi: Chaukhambha Surabharati Publications; 2008. Sutrasthana, Anapanavidhi Adhyaya 27/19-20, p. 154.
5. Acharya JT, editor. *Charaka Samhita* by Agnivesha, Charaka, Dridhabala. Varanasi: Chaukhambha Surabharati Publications; 2008. Chikitsasthana, Prameha Chikitsitam Adhyaya 6/21, p. 446.
6. Agnivesha, Charaka, Dridhabala. *Charaka Samhita* with Ayurveda Dipika commentary by Chakrapanidatta. Reprint ed. Varanasi: Chaukhambha Surabharati Prakashan; 2015. Chikitsasthana, Prameha Chikitsitam Adhyaya 6/24, p. 446.
7. Tripathi ID, editor. *Gadanigraha* by Shodhala. Vol. 2. Varanasi: Chaukhamba Sanskrit Sansthana; 2012. Prameha Rogadhikara 30/63, p. 673.

8. Acharya JT, editor. *Charaka Samhita* by Agnivesha, Charaka, Dridhabala. Varanasi: Chaukhambha Surabharati Publications; 2008. Vimanasthana 1/19(2), p. 235.
9. Sharma SP, editor. *Ashtanga Samgraha* by Vriddha Vagbhata, with Shashilekha Sanskrit commentary by Indu. Varanasi: Chaukhambha Sanskrit Series Office; 2008. Chikitsasthana 14/13, p. 515.
10. Paradkar HS, editor. *Ashtanga Hridaya* by Vagbhata, with Sarvangasundara commentary by Arunadatta and Ayurveda Rasayana by Hemadri. Reprint ed. Varanasi: Chaukhambha Prakashana; 2015. Chikitsasthana 12/11, p. 678.
11. Mishra BS, editor. *Bhavaprakasha Samhita* by Bhavamishra. Vol. 2. Varanasi: Chaukhamba Sanskrit Bhawan; 2013. Prameha Chikitsa 8/60, p. 405.
12. Tripathi HP, editor. *Vangasena Samhita* by Vangasena. Varanasi: Chaukhambha Krishnadas Academy; 2009. Prameha Rogadhikara 17/62, p. 183.
13. Reddy KRC, editor. *Vaidya Chintamani* by Vallabhacharya. Vol. 2. Varanasi: Chaukhambha Orientalia; 2014. Hridaroga Prakarana 27/1, p. 347.
14. Baik BK, Ullrich SE. Barley for food: characteristics, improvement, and renewed interest. *J Cereal Sci.* 2008;48(2):233–242.
15. Newman RK, Newman CW. Barley for food and health: science, technology, and products. Hoboken: Wiley; 2008.
16. Wood PJ. Cereal β -glucans in diet and health. *J Cereal Sci.* 2007;46(3):230–238.
17. Brennan CS, Cleary LJ. The potential use of cereal (1 \rightarrow 3,1 \rightarrow 4)- β -D-glucans as functional food ingredients. *J Cereal Sci.* 2005;42(1):1–13.
18. Thondre PS, Henry CJ. High-molecular-weight barley β -glucan in chapatis (unleavened Indian flatbread) lowers glycemic index. *Nutr Res.* 2009;29(7):480–486.
19. Jenkins DJA, Wolever TMS, Leeds AR, et al. Dietary fibres, fibre analogues, and glucose tolerance: importance of viscosity. *Br Med J.* 1978;1(6124):1392–1394.
20. Anderson JW, Baird P, Davis RH Jr, et al. Health benefits of dietary fiber. *Nutr Rev.* 2009;67(4):188–205.
21. Othman RA, Moghadasian MH, Jones PJH. Cholesterol-lowering effects of oat β -glucan. *Nutr Rev.* 2011;69(6):299–309.
22. Behall KM, Scholfield DJ, Hallfrisch J. Diets containing barley significantly reduce lipids in mildly hypercholesterolemic men and women. *Am J Clin Nutr.* 2004;80(5):1185–1193.
23. Liu RH. Potential synergy of phytochemicals in cancer prevention: mechanism of action. *J Nutr.* 2004;134(12 Suppl):3479S–3485S.
24. Vinson JA, Zubik L, Bose P, Samman N, Proch J. Dried fruits: excellent in vitro and in vivo antioxidants. *J Am Coll Nutr.* 2005;24(1):44–50.
25. Sharma P, Gujral HS. Antioxidant and polyphenol oxidase activity of germinated barley and its milling fractions. *Food Chem.* 2010;120(3):673–678.
26. Slavin JL. Dietary fiber and body weight. *Nutrition.* 2005;21(3):411–418.
27. Delzenne NM, Cani PD. Interaction between obesity and the gut microbiota: relevance in nutrition. *Annu Rev Nutr.* 2011; 31:15–31.
28. Hutkins RW. Microbiology and technology of fermented foods. 2nd ed. Ames: Wiley-Blackwell; 2018.
29. Katina K, Arendt E, Liukkonen KH, Autio K, Flander L, Poutanen K. Potential of

- sourdough for healthier cereal products. *Trends Food Sci Technol.* 2005;16(1-3):104-112.
30. Flint HJ, Scott KP, Louis P, Duncan SH. The role of the gut microbiota in nutrition and health. **Nat Rev Gastroenterol Hepatol.** 2012;9(10):577-589.
31. Marco ML, Heeney D, Binda S, et al. Health benefits of fermented foods: microbiota and beyond. *Curr Opin Biotechnol.* 2017; 44:94-102.
32. Tamang JP, Shin DH, Jung SJ, Chae SW. Functional properties of microorganisms in fermented foods. *Front Microbiol.* 2016; 7:578.
33. Singh RK, Chang HW, Yan D, et al. Influence of diet on the gut microbiome and implications for human health. *J Transl Med.* 2017; 15:73.
34. Tilg H, Moschen AR. Microbiota and diabetes: an evolving relationship. *Nat Rev Endocrinol.* 2014;10(10):599-609.
35. Zeevi D, Korem T, Zmora N, et al. Personalized nutrition by prediction of glycemic responses. *Cell.* 2015;163(5):1079-1094.
36. David LA, Maurice CF, Carmody RN, et al. Diet rapidly and reproducibly alters the human gut microbiome. *Nature.* 2014;505(7484):559-563.

Source of Support: None declared

Conflict of interest: Nil

© 2026 IJIM (International Journal of Indian Medicine) |

An Official Publication of ARCA- AYURVEDA RESEARCH & CAREER ACADEMY

Website: www.ijim.co.in **Email:** ijimjournal1@gmail.com